

## David Mortimer PhD – Publications

1. **Mortimer, D.** & Thompson, T.E. (1976) Nuclear pores in the spermatozoon of the rat. *Experientia, Basel*, 32: 104-106.
2. **Mortimer, D.** (1977) The survival and transport to the site of fertilization of diploid rabbit spermatozoa. *J. Reprod. Fertil.*, 51: 99-104.
3. **Mortimer, D.** (1978) Selectivity of sperm transport in the female genital tract. In: *Spermatozoa, Antibodies and Infertility*, eds J. Cohen & W.F. Hendry. Blackwell Scientific Publications, Oxford & London; Chapter 5, pp. 37-53.
4. **Mortimer, D.** (1979) Functional anatomy of haploid and diploid rabbit spermatozoa. *Arch. Androl.*, 2: 13-20.
5. **Mortimer, D.** (1979) Differential motility of diploid rabbit spermatozoa. *Arch. Androl.*, 2: 41-47.
6. **Mortimer, D.** (1979) The distribution of diploid rabbit spermatozoa in the female tract after artificial insemination. *Anim. Reprod. Sci.*, 1: 245-250.
7. **Mortimer, D.**; Parnham, D.W. & Kelly, R.W. (1980) Effect of treatment with indomethacin and prostaglandins E2 and F2<sub>α</sub> on semen parameters in the rabbit. *IRCS Med. Sci.*, 8: 131.
8. Donachie, K.M.; **Mortimer, D.** & Templeton A.A. (1980) Spermagglutinating and spermimmobilizing activities of human seminal plasma. *IRCS Med. Sci.*, 8: 220.
9. **Mortimer, D.** & Bramley, T.A. (1980) Extracellular carnitine acetyltransferase activity as a possible indicator of human spermatozoan integrity. *IRCS Med. Sci.*, 8: 833-834.
10. Templeton, A.A. & **Mortimer, D.** (1980) Laparoscopic sperm recovery in infertile women. *Br. J. Obstet. Gynaec.*, 87: 1128-1131.
11. Templeton, A.A. & **Mortimer, D.** (1981) Is abnormal semen liquefaction associated with human male infertility? *IRCS Med. Sci.*, 9: 72.
12. **Mortimer, D.** (1981) The assessment of human sperm morphology in surface replica preparations for transmission electron microscopy. *Gamete Res.*, 4: 113-119.
13. **Mortimer, D.** & Bramley, T.A. (1981) Evaluation of the measurement of glutamic-oxalacetic transaminase leakage from human spermatozoa as an indicator of cryodamage. *Arch. Androl.*, 6: 337-341.
14. Hunter, M.G.; **Mortimer, D.** & Baker, T.G. (1981) Evaluation of porcine corpora lutea during organ culture: a histological, ultrastructural and hormonal assessment. *Anim. Reprod. Sci.*, 4: 29-38.
15. **Mortimer, D.** & Richardson, D.W. (1982) Sex ratio of births resulting from artificial insemination. *Br. J. Obstet. Gynaec.*, 89: 132-135.
16. **Mortimer, D.**; Leslie, E.E.; Kelly, R.W. & Templeton, A.A. (1982) Morphological selection of human spermatozoa in vivo and in vitro. *J. Reprod. Fertil.*, 64: 391-399.
17. **Mortimer, D.** & Templeton, A.A. (1982) Sperm transport in the human female reproductive tract in relation to semen analysis characteristics and time of ovulation. *J. Reprod. Fertil.*, 64: 401-408.
18. **Mortimer, D.** & Lincoln, G.A. (1982) Ultrastructural study of regressed and activated testes from Soay rams. *J. Reprod. Fertil.*, 64: 437-442.
19. Templeton, A.A. & **Mortimer, D.** (1982) The development of a clinical test of sperm migration to the site of fertilization. *Fertil. Steril.*, 37: 410-415.
20. **Mortimer, D.**; Templeton, A.A.; Lenton, E.A. & Coleman, R.A. (1982) Semen analysis parameters and their interrelationships in suspected infertile men. *Arch. Androl.*, 8: 165-171.
21. **Mortimer, D.**; Templeton, A.A.; Lenton, E.A. & Coleman, R.A. (1982) Semen analysis parameters of a population of suspected infertile men. In: *Human Fertility Factors*, eds A. Spira & P. Jouannet. INSERM, vol. 103, Paris; pp. 91-95.
22. Templeton, A.A. & **Mortimer, D.** (1982) The development of a clinical test of sperm migration. In: *Human Fertility Factors*, eds A. Spira & P. Jouannet. INSERM, vol. 103, Paris; pp. 245-261.
23. **Mortimer, D.**; Templeton, A.A.; Lenton, E.A. & Coleman, R.A. (1982) The influence of abstinence and ejaculation-to-analysis delay upon semen analysis parameters of suspected infertile men. *Arch. Androl.*, 8: 251-256.
24. Templeton, A.A.; Aitken, R.J.; **Mortimer, D.** & Best F.S.M. (1982) Sperm function in patients with unexplained infertility. *Br. J. Obstet. Gynaec.*, 89: 550-554.
25. Aitken, R.J.; Best, F.S.M.; Rudak, E.A.; Djahanbakhch, O.; **Mortimer, D.**; Templeton, A.A. & Lees, M.M. (1982) An analysis of sperm function in cases of unexplained infertility: conventional criteria, movement characteristics and fertilizing capacity. *Fertil. Steril.*, 38: 212-221.

26. Templeton, A.A. & **Mortimer, D.** (1982) Successful circumvention of retrograde ejaculation in an infertile diabetic man. Case report. *Br. J. Obstet. Gynaec.*, 89: 1064-1065.
27. **Mortimer, D.**; Templeton, A.A.; Lenton, E.A. & Coleman, R.A. (1983) Annual patterns of human sperm production and semen quality. *Arch. Androl.*, 10: 1-5.
28. **Mortimer, D.**; Courtot, A.M.; Giovangrandi, Y. & Jeulin, C. (1983) Do capacitated human spermatozoa show an "activated" pattern of motility? In: *The Sperm Cell. Fertilizing Power, Surface Properties, Motility, Nucleus and Acrosome, Evolutionary Aspects*, ed. J. André. Martinus-Nijhoff, The Hague; pp. 349-352.
29. **Mortimer, D.** (1983) Sperm transport in the human female reproductive tract. In: *Oxford Reviews of Reproductive Biology, Vol. 5*, ed. C.A. Finn. Oxford University Press, Oxford; pp. 30-61.
30. **Mortimer, D.** & Lenton, E.A. (1983) Distribution of sperm counts in suspected infertile men. *J. Reprod. Fertil.*, 68: 91-96.
31. Aitken, R.J.; Warner, P.; Best, F.S.M.; Templeton, A.A.; Djahanbakhch, O.; **Mortimer, D.** & Lees, M.M. (1983) The predictability of subnormal penetrating capacity of sperm in cases of unexplained infertility. *Int. J. Androl.*, 6: 212-220.
32. **Mortimer, D.**; Courtot, A.M.; Giovangrandi, Y.; Jeulin, C. & David, G. (1984) Human sperm motility after migration into, and incubation in, synthetic media. *Gamete Res.*, 9: 131-144.
33. Dravland, J.E. & **Mortimer, D.** (1985) A simple discontinuous Percoll gradient procedure for washing human spermatozoa. *IRCS Med. Sci.*, 13: 16-17.
34. **Mortimer, D.** (1985) From the semen to the oocyte: the long route in vivo and the in-vitro short cut. In: *Human In-Vitro Fertilization. Actual Problems and Prospects*, eds J. Testart & R. Frydman. INSERM Symposium 24. Elsevier Science Publishers, Amsterdam; pp 93-107.
35. **Mortimer, D.** (1985) *The Male Factor in Infertility: Part 1: Semen Analysis*. Current Problems in Obstetrics, Gynecology and Fertility. Vol. VIII, No. 7. Year Book Medical Publishers, Inc., Chicago. 87pp.
36. **Mortimer, D.** (1985) *The Male Factor in Infertility: Part 2: Sperm Function Testing*. Current Problems in Obstetrics, Gynecology and Fertility. Vol. VIII, No. 8. Year Book Medical Publishers, Inc., Chicago. 75pp.
37. **Mortimer, D.** (1986) Comparison of the fertilizing ability of human spermatozoa preincubated in calcium- and strontium-containing media. *J. exp. Zool.*, 237: 21-24.
38. **Mortimer, D.** (1986) An evaluation of different media for the zona-free hamster egg penetration test. *Amer. J. Obstet. Gynecol.*, 154: 351-354.
39. Pandya, I.J.; **Mortimer, D.** & Sawers, R.S. (1986) A standardized approach for evaluating the penetration of human spermatozoa into cervical mucus in vitro. *Fertil. Steril.*, 45: 357-365.
40. Pattinson, H.A.; Shu, M.A.; Tan, R.; **Mortimer, D.** & Taylor, P.J. (1986) A simplified screening method for the detection of sperm surface antibodies using the combined GAM Immunobead. *IRCS Med. Sci.*, 14: 505-506.
41. **Mortimer, D.** (1986) Elaboration of a new culture medium for physiological studies on human sperm motility and capacitation. *Hum. Reprod.*, 1: 247-250.
42. **Mortimer, D.**; Curtis, E.F. & Dravland, J.E. (1986) The use of strontium-substituted media for capacitating human spermatozoa: an improved sperm preparation method for the zona-free hamster egg penetration test. *Fertil. Steril.*, 46: 97-103.
43. **Mortimer, D.**; Pandya, I.J. & Sawers, R.S. (1986) Human sperm morphology and the outcome of modified Kremer tests. *Andrologia*, 18: 376-379.
44. **Mortimer, D.** (1986) Human sperm movement in Sperm-Select and high viscosity methyl cellulose solution. *Develop. Growth Differ.*, 28 Suppl.: 90.
45. **Mortimer, D.**; Shu, M.A. & Tan, R. (1986) Standardization and quality control of sperm concentration and sperm motility counts in semen analysis. *Hum. Reprod.*, 1: 299-303.
46. **Mortimer, D.**; Pandya, I.J. & Sawers, R.S. (1986) Relationship between human sperm motility characteristics and sperm penetration into human cervical mucus *in vitro*. *J. Reprod. Fertil.*, 78: 93-102.
47. **Mortimer, D.** (1986) A microcomputer-based semi-automated system for human sperm movement analysis. *Clin. Reprod. Fertil.*, 4: 283-295.
48. **Mortimer, D.**; Curtis, E.F. & Miller, R.G. (1987) Specific labelling by peanut agglutinin of the outer acrosomal membrane of the human spermatozoon. *J. Reprod. Fertil.*, 81: 127-135.
49. Pattinson, H.A. & **Mortimer, D.** (1987) Prevalence of sperm surface antibodies in the male partners of

- infertile couples as determined by Immunobead screening. *Fertil. Steril.*, 48: 466-469.
50. **Mortimer, D.** (1988) Computerized semen analysis. Letter-to-the-Editor. *Fertil. Steril.*, 49: 182-183.
  51. **Mortimer, D.;** Curtis, E.F. & Ralston, A. (1988) Semi-automated analysis of manually reconstructed tracks of progressively motile human spermatozoa. *Hum. Reprod.*, 3: 303-309.
  52. **Mortimer, D.;** Chorney, M.J.; Curtis, E.F. & Trounson, A.O. (1988) Calcium dependence of human sperm fertilizing ability. *J. exp. Zool.*, 246: 194-201.
  53. **Mortimer, D. & Mortimer, S.T.** (1988) Influence of system parameter settings on human sperm motility analysis using CellSoft. *Hum. Reprod.*, 3: 621-625.
  54. **Mortimer, D.;** Serres, C.; Mortimer, S.T. & Jouannet, P. (1988) Influence of image sampling frequency on the perceived movement characteristics of progressively motile human spermatozoa. *Gamete Res.*, 20: 313-327.
  55. **Mortimer, D.;** Johnson, A.V. & Long-Simpson, L.K. (1988) Glutamic-oxaloacetic transaminase isozymes in human seminal plasma and sperm extracts. *Int. J. Fertil.*, 33: 291-295.
  56. Brooks, J.H.; **Mortimer, D.** & Taylor, P.J. (1988) Failure of hysteroscopic insemination of the Fallopian tube in synchronized cycles. *Int. J. Fertil.*, 33: 353-361.
  57. **Mortimer, D.** (1988) The value of conventional semen analysis. In: *Advances in Perinatal and Reproductive Medicine*, eds W.C. Cheng & S.L. Tan. P.G. Publishing Pte Ltd, Singapore; Chapter 3, pp. 38-52
  58. **Mortimer, D.** (1988) Recent advances in the assessment of male infertility. In: *Advances in Perinatal and Reproductive Medicine*, eds W.C. Cheng & S.L. Tan. P.G. Publishing Pte Ltd, Singapore; Chapter 6, pp. 76-95.
  59. Dravland, J.E. & **Mortimer, D.** (1988) Role for fucose-sulfate-rich carbohydrates in the penetration of zona pellucida-free hamster eggs by hamster spermatozoa. *Gamete Res.*, 21: 353-358.
  60. **Mortimer, D.;** Goel, N. & Shu, M.A. (1988) Evaluation of the CellSoft automated semen analysis system in a routine laboratory setting. *Fertil. Steril.*, 50: 960-968.
  61. **Mortimer, D.;** Curtis, E.F.; Camenzind, A.R. & Tanaka, S. (1989) The spontaneous acrosome reaction of human spermatozoa incubated in vitro. *Hum. Reprod.*, 4: 57-62.
  62. **Mortimer, D.;** Shu, M.A.; Tan, R. & Mortimer, S.T. (1989) A technical note on diluting semen for the haemocytometric determination of sperm concentration. *Hum. Reprod.*, 4: 166-168.
  63. **Mortimer, D. & Camenzind, A.R.** (1989) The role of follicular fluid in inducing the acrosome reaction of human spermatozoa incubated in vitro. *Hum. Reprod.*, 4: 169-174.
  64. **Mortimer, D.** (1989) Automated semen analysis - Reply. Letter-to-the-editor. *Fertil. Steril.*, 52: 344-345.
  65. **Mortimer, D.** (1989) Estimating the competence of mammalian spermatozoa. *AgBiotech News & Information*, 1: 691-696.
  66. **Mortimer, D.** (1989) Evaluation en laboratoire de la fécondance du sperme: intérêt et limites. In: *Stérilité Masculine et Procréations Médicalement Assistées*, eds Y. Englert, J.F. Guérin & P. Jouannet. Doin, Paris. Chapitre 2, Partie II, pp. 31-44.
  67. **Mortimer, D.;** Curtis, E.F. & Camenzind, A.R. (1990) Combined use of fluorescent peanut agglutinin lectin and Hoechst 33258 to monitor the acrosomal status and vitality of human spermatozoa. *Hum. Reprod.*, 5: 99-103.
  68. **Mortimer, D. & Taylor, P.J.** (1990) Interpretation of semen analysis. *J. Soc. Obstet. Gynaecol. Canada*, 12: 23-25.
  69. Pattinson, H.A.; **Mortimer, D.;** Curtis, E.F.; Leader, A. & Taylor, P.J. (1990) Treatment of spermagglutination with proteolytic enzymes. I. Sperm motility, vitality, longevity and successful disagglutination. *Hum. Reprod.*, 5: 167-173.
  70. Pattinson, H.A.; **Mortimer, D. & Taylor, P.J.** (1990) Treatment of spermagglutination with proteolytic enzymes. II. Fertilizing ability of enzymatically disagglutinated spermatozoa. *Hum. Reprod.*, 5: 174-178.
  71. Mortimer, S.T. & **Mortimer, D.** (1990) Kinematics of human spermatozoa incubated under capacitating conditions. *J. Androl.*, 11: 195-203.
  72. **Mortimer, D.** (1990) Objective analysis of sperm motility and kinematics. In: *Handbook of the Laboratory Diagnosis and Treatment of Infertility*, eds B.A. Keel & B.W. Webster. CRC Press, Inc., Boca Raton. Chapter 6, pp. 97-133.
  73. **Mortimer, D.** (1990) Evaluation de la réaction acrosomale comme test de fécondance des spermatozoïdes humains. *Contraception-Fertilité-Sexualité*, 18: 552-553.

74. **Mortimer, D.** (1990) Semen analysis and sperm washing techniques. In: *Controls of Sperm Motility*, ed C. Gagnon. CRC Press, Inc., Boca Raton. Chapter 17, pp. 263-284.
75. Scott, S.G.; **Mortimer, D.**; Taylor, P.J.; Leader, A. & Pattinson, H.A. (1990) Therapeutic donor insemination using frozen semen. *Can. Med. Ass. J.*, 143: 273-278.
76. **Mortimer, D.** (1990) Semen donor insemination. Letter-to-the-Editor. *Fertil. Steril.*, 54: 745.
77. **Mortimer, D.**; Mortimer, S.T.; Shu, M.A. & Swart, R. (1990) A simplified approach to sperm-cervical mucus interaction testing using a hyaluronate migration test. *Hum. Reprod.*, 5: 835-841.
78. **Mortimer, D.** (1991) Sperm preparation techniques and iatrogenic failures of in-vitro fertilization. *Hum. Reprod.*, 6: 173-176.
79. **Mortimer, D.** (1991) Clinical significance of antisperm antibodies. *J. Soc. Obstet. Gynaecol. Canada*, 13: 69-80.
80. **Mortimer, D.**; Mortimer, S.T.; Anderson, S.J. & Robertson, L. (1991) Hyperactivated motility of human spermatozoa. In: *Comparative Spermatology 20 Years After*, Proceedings of the VI International Congress on Spermatology, Siena, Italy. Ed. B. Baccetti. Sero Symposia Volume 75, Raven Press, New York, pp. 211-215.
81. **Mortimer, D.** (1991) Behaviour of spermatozoa in the human oviduct. *Arch. Biol. Med. Exp.*, 24: 339-348.
82. Leader, A.; Minuk, G.Y. & **Mortimer, D.** (1992) Seminal plasma gamma-aminobutyric acid (GABA) levels in normospermic men. *Clin. Invest. Med.*, 15: 346-348.
83. **Mortimer, D.** (1992) New sperm function tests. *J. Soc. Obstet. Gynaecol. Canada*, 14: 21-28.
84. **Mortimer, D.** & Mortimer, S.T. (1992) Methods of sperm preparation for assisted reproduction. In: *Ann. Acad. Med., Singapore*, 21: 517-524.
85. **Mortimer, D.** (1992) Validation of CASA technology in the andrology laboratory. In: *Update on Therapy in Andrology*, eds G.F. Menchini-Fabris & D. Canale. Ets Editrice, Pisa, pp. 15-25.
86. Tummou, I.S. & **Mortimer, D.** (1992) Decreasing quality of semen. Letter-to-the-Editor. *Br. Med. J.*, 305: 1228-1229.
87. Fleetham, J.A.; Pattinson, H.A. & **Mortimer, D.** (1993) The mouse embryo culture system: improving the sensitivity for use as a quality control assay for human in vitro fertilization. *Fertil. Steril.* 59: 192-196.
88. Jansen, R.P.S.; Golovsky, D.; Lippi, J. & **Mortimer, D.** (1993) Pregnancy from subzonally microinjected epididymal spermatozoa. *Med. J. Aust.*, 158: 646-647.
89. Lippi, J.; **Mortimer, D.** & Jansen, R.P.S. (1993) Sub-zonal insemination for extreme male factor infertility. *Hum. Reprod.*, 8: 908-915.
90. Pattinson, H.A.; **Mortimer, D.** & Mortimer, S.T. (1993) The new reproductive technologies. In: *Textbook of Gynecology*, ed L.J. Copeland. W.B. Saunders, Philadelphia, pp. 319-346.
91. **Mortimer, D.** (1993) Techniques for the preparation of spermatozoa and the need for capacitation and the acrosome reaction. In: *Gamete and Embryo Micromanipulation in Human Reproduction*, eds S. Fishel and E.M. Symonds. Edward Arnold, Sevenoaks, pp.
92. **Mortimer, D.** (1993) Laboratory methods for sperm processing. *Bombay Hospital J.*, 35: 35-41.
93. **Mortimer, D.** (1993) Sub-zonal insemination for extreme male factor infertility. *Bombay Hospital J.*, 35: 123-130.
94. **Mortimer, D.** (1994) *Practical Laboratory Andrology*. Oxford University Press, New York, 393 pp.
95. Gearon, C.M.; **Mortimer, D.**; Chapman, M.G. & Forman, R.G. (1994) Artificial induction of the acrosome reaction in human spermatozoa. *Hum. Reprod.*, 9: 77-82.
96. **Mortimer, D.** (1994) Sperm recovery techniques to maximize fertilizing capacity. *Reprod. Fertil. Dev.*, 6: 25-31.
97. **Mortimer, D.** (1994) The essential partnership between diagnostic andrology and modern assisted reproductive technologies. *Hum. Reprod.*, 9: 1209-1213.
98. **Mortimer, D.** (1994) Laboratory standards in routine clinical andrology. *Reprod. Med. Rev.*, 3: 97-111.
99. **Mortimer, D.** (1994) Semen analysis and other standard laboratory tests. In: *Male Infertility, 2nd Edition*, ed T.B. Hargreave. Springer-Verlag, Berlin & London, pp. 37-73
100. Lange, I.R.; Simrose, R.L.; Hopkins, C.; Ingelson, B. & **Mortimer, D.** (1994) Ultrasound observations in the normal intrapartum patient: assessment of the biophysical profile score and Doppler velocimetry. *J. Maternal-Fetal Med.*, 3: 279-285.
101. **Mortimer, D.** (1995) Sperm transport in the female genital tract. In: *Cambridge Reviews in Human Reproduction, Volume 2: Gametes - The Spermatozoon*, eds J.G. Grudzinkas & J.L. Yovich, Cambridge

- University Press, Cambridge, pp. 157-174.
102. **Mortimer, D.** (1995) *In vitro* induction of the human sperm acrosome reaction. In: *Human Sperm Acrosome Reaction*, eds P. Fénichel & J. Parinaud, Colloque INSERM/John Libbey Eurotext Ltd, Montrouge, Vol. 236, pp. 295-313.
  103. **Mortimer, D.**; Aitken, R.J.; Mortimer, S.T. & Pacey, A.A. (1995) Clinical CASA – The quest for consensus. *Reprod. Fertil. Devel.*, 7: 951-959.
  104. Mortimer, S.T.; Swan, M.A. & **Mortimer, D.** (1996) Fractal analysis of capacitating human spermatozoa. *Hum. Reprod.*, 11: 1049-1054.
  105. Mortimer, S.T.; Schoëvaërt, D.; Swan, M.A. & **Mortimer, D.** (1997) Quantitative observations of flagellar motility of capacitating human spermatozoa. *Hum. Reprod.*, 12: 1006-1012.
  106. **Mortimer, D.** (1997) Role of laboratory testing in diagnosis and management. In: *In Vitro Fertilization and Assisted Reproduction*, eds V. Gomel & P.C.K. Leung, Monduzzi Editore, Bologna, pp. 489-495.
  107. Olesen, H.; Giwercman, A.; de Kretser, D.M.; **Mortimer, D.**; Oshima, H. & Troen, P. (1997) Properties and units in the clinical laboratory sciences: Part XIII: Properties and units in reproduction and fertility. *Pure & Appl. Chem.*, 69: 2621-2638.
  108. **Mortimer, D.** & Mortimer, S.T. (1998) Value and reliability of CASA systems. In: *Andrology in the Nineties. Modern ART in the 2000's*, eds W. Ombelet, E. Bosmans, H. Vandeput, A. Vereecken, M. Renier & E.H. Hoomans, Parthenon Publishing, Carnforth, UK, pp. 73-89.
  109. Mortimer, S.T., Swan, M.A. & **Mortimer, D.** (1998) Effect of seminal plasma on capacitation and hyperactivation in human spermatozoa. *Hum. Reprod.*, 13: 2139-2146.
  110. **Mortimer, D.** (1998) *Laboratorio Pratico di Andrologia*. CIC Edizioni Internazionali, Rome, 360pp. Italian translation by G. Bonanni.
  111. **Mortimer, D.** (1998) Semen analysis. In: *Textbook of Genito-Urinary Surgery, 2<sup>nd</sup> Edition*, eds H.N. Whitfield, W.F. Hendry, R.S. Kirby and J.W. Duckett. Blackwell Scientific Publications, Oxford, pp. 1403-1415.
  112. Jansen, R.P.S. & **Mortimer, D.** [editors] (1999) *Towards Reproductive Certainty: Fertility and Genetics Beyond 1999*, Parthenon Publishing, Carnforth, UK.
  113. **Mortimer, D.** (1999) Quality management in the IVF laboratory. In: *Towards Reproductive Certainty: Fertility and Genetics Beyond 1999*, eds R. Jansen and D. Mortimer, Parthenon Publishing, Carnforth, UK, chapter 52, pp.421-426.
  114. **Mortimer, D.** & Mortimer S.T. (1999) Laboratory investigation of the infertile male. In: *A Textbook of In-Vitro Fertilization and Assisted Reproduction, 2<sup>nd</sup> Edition*, ed. P.R. Brinsden, Parthenon Publishing, Carnforth, UK, chapter 4, pp.53-81.
  115. **Mortimer, D.** (1999) Structured management as a basis for cost-effective infertility care. In: *The Male Gamete: From Basic Knowledge to Clinical Applications*, ed. C. Gagnon, Cache River Press, Vienna, IL, pp.363-370.
  116. Hamamah, S.; Fignon, A. & **Mortimer, D.** (1999) How assisted reproduction deals with HIV. In: *The Male Gamete: From Basic Knowledge to Clinical Applications*, ed. C. Gagnon, Cache River Press, Vienna, IL, pp.437-443.
  117. Hamamah, S.; Grizard, G.; Fignon, A.; Mortimer, S.T. & **Mortimer, D.** (1999) In vitro therapy for sperm motility: Specific and nonspecific treatments. In: *Male Sterility and Motility Disorders*, eds S. Hamamah, R. Mieusset, F. Olivennes & R. Frydman, Springer-Verlag, New York, chapter 8, pp. 95-115.
  118. **Mortimer, D.** (2000) Sperm preparation methods. *J. Androl.*, 21: 357-366.
  119. **Mortimer, D.** (2000) The future of male infertility and ART. *Hum. Reprod.*, 16, Suppl.5: 98-110.
  120. **Mortimer, D.** & Menkveld, R. (2001) Sperm morphology assessment – Historical perspectives and current opinions. *J. Androl.*, 22: 192-205.
  121. Nielson, H.I.; Bahadur, G.; Hinrichsen, M.J.; **Mortimer, D.** & Tesarik, J. (2001) Human embryology and fertilisation revisited. *Reprod. Biomed. Online*, 3: 90-93.

**UPDATED: 20020408**